

Specifications

Photo is representative

Eaton MBP6KI

Eaton HotSwap MBP maintenance bypass,
6000 VA, Input: Hardwired, 200-240V,
Outlets: (3) C13, (2) C19, Hardwired

General specifications

| | |
|-----------------------------|--------------------------------------|
| PRODUCT NAME | Eaton HotSwap MBP maintenance bypass |
| CATALOG NUMBER | MBP6KI |
| MODEL CODE | Eaton HotSwap MBP 6000i |
| PRODUCT LENGTH/DEPTH | 185 mm |
| PRODUCT HEIGHT | 150 mm |
| PRODUCT WIDTH | 305 mm |
| PRODUCT WEIGHT | 3.28 kg |
| COMPLIANCES | CE Marked |
| CERTIFICATIONS | CE |



Powering Business Worldwide

Product specifications

| | |
|--|---|
| TYPE | Hotswap MBP |
| FORM FACTOR | 3U |
| OUTLET CONTROL | No |
| PACKAGE CONTENTS | <ul style="list-style-type: none">• Maintenance Bypass• Cable locking system• Connection cable to the UPS• Rack-mounting kit• User manual |
| OPERATING TEMPERATURE | 0° to 40°C (32° to 104°F) |
| MOUNTING DIRECTION | Horizontal |
| COLOR | Black |
| INPUT CONNECTION | Other |
| VA RATING | 6000 VA |
| INPUT VOLTAGE | 200-240V |
| PHASE | Single-phase |
| OUTLETS | (3) C13,(2) C19, Hardwired |
| NUMBER OF OUTPUTS C13 | 3 |
| NUMBER OF OUTPUTS C19 | 2 |
| NUMBER OF OUTPUTS HARDWIRED | 1 |
| NUMBER OF OUTLETS WITH EARTH PIN | 5 |
| SNMP | No |
| ETHERNET INTERFACE | No |
| SERIAL INTERFACE | No |
| MASS CONFIGURATION | No |
| ELECTRICAL CONNECTION | Screwed terminal |
| MOUNTING DIMENSION (METRICAL) | 150 |
| MOUNTING DIMENSION (STANDARDIZED) | 482.6 mm (19 inch) |
| SWITCHABLE | No |
| OVER VOLTAGE CATEGORY | 2 |
| FITTED WITH: | Mounting material LED indication |
| COMMUNICATION | No |

Resources

| | |
|-------------------------------|--|
| BROCHURES | Eaton UPS and battery services - EN Eaton UPS Services Quick Guide - EN |
| COMPLIANCE INFORMATION | EU declaration of conformity Eaton 9PX UPS |

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

